[illegible]有限公司

检 测 报 告

Measure the report

2013137017U
有效期至2016年08月22日

检测报告

全　称	梅州市塔牌[illegible]水泥有限公司		
[illegible]	[illegible]		
联系人	张荣新	电　话	13536747896[illegible]
检测性质	采样	采样日期	2016 年 05 月 13 日
项目名称	梅州市塔牌集团蕉岭鑫达旋窑水泥有限公司污染物排放监测（2016 年第二季		
项目地址	/		
检测类别 及项目	有组织废气：粉尘、SO$_2$、NO$_X$、氟化物、氨气、汞及其化合物 废　　水：pH、COD$_{Cr}$、NH$_3$-N、TP 噪　　声：厂界噪声		
说　明	工作制度：生产日每年 280 天，每天 24 小时 设计生产量：日生产水泥 7143 吨 实际生产量：2016年05月13日，生产水泥7[illegible]68吨		

[illegible]

烟囱高度 45m	粉尘	实测浓度（mg/m³）	1.0	6.7	1.0	[illegible]	30	达标
		排放速率（kg/h）	0.381	2.718	0.340	1.089	/	/
		烟温（℃）	[illegible]	[illegible]	[illegible]	[illegible]	/	/
		[illegible]	6.2	6.2	6.2	6.2		
		标态风量（m³/h）	[illegible]	484360	483868	[illegible]	/	/
窑尾		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	达标
		排放速率（kg/h）	5.458	5.329	5.323	5.376	/	/
N 24°45′20.10″ E 116°11′26.4″	NOx	实测浓度（mg/m³）	205	200	206	204	/	/
烟囱高度 115m		排放浓度（mg/m³）	160	[illegible]	[illegible]	[illegible]	400	达标
	氟化物	排放浓度（mg/m³）	0.29	0.35	0.14	0.26	5	达标
		[illegible]（kg/h）	[illegible]	[illegible]	[illegible]	0.431	/	/
	汞及其化合物	实测浓度（mg/m³）	0.0117	0.0123	0.0126	0.0122	/	/
		排放浓度（mg/m³）	0.0095	0.0100	0.0101	0.0099	0.05	达标

有组织废气检测结果表：

[illegible]	[illegible]	17073	19276	17473	1794		
	排放速率（kg/h）	0.090	0.138	0.075	0.101	/	/
粉尘	排放速率（kg/h）	0.040	0.035	0.072	0.048	/	/
烟温 t（℃）		42	42	42	42	/	/
风速（m/s）		[illegible]	[illegible]	[illegible]	[illegible]	/	/
	排放速率（kg/h）	[illegible]	0.059	0.060	0.050	/	/

备注　评

[illegible]织废气检测结果表 3

[illegible]	采样点位	检测项目		采样日期：2016 年 05 月 13 日 1	 2	 3	 均值	评价 标准值	达标 情况
		烟温 t（℃）		42	42	42	42	/	/
[illegible]	6#包装机	含湿量 Xsw（%）		2.8	2.8	2.8	2.8	/	/
	N 24°44′58.05″	风速 Us（m/s）		22.2	21.7	19.7	21.2	/	/
[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	烟囱高度 20m	粉尘	实测浓度（mg/m³）	[illegible]	[illegible]	[illegible]	[illegible]	20	达标
			排放速率（kg/h）	[illegible]	[illegible]	0.108	0.075	/	/
[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	E 116°11′22.34″	标态风量（m³/h）		20090	22681	24938	22570	/	/
[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	E 116°11′27.30″	[illegible]		[illegible]	[illegible]	[illegible]	33694	/	/
[illegible]	烟囱高度 40m	[illegible]	实测浓度（mg/m³）	5.0	1.8	1.4	2.7	30	达标
[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
		[illegible]		2.8	2.8	2.8	2.8	/	/
		风速 Us（m/s）		14.2	14.6	14.8	14.5	/	/
	N 24°43′23.73″ E 116°11′19.19″	标态风量（m³/h）		28310	28857	29149	28772	/	/
[illegible]	烟囱高度 15m	粉尘	实测浓度（mg/m³）	1.3	3.8	1.1	2.1	20	达标
			排放速率（kg/h）	0.037	0.110	0.032	0.059	/	/

备注：评价标准：国家标准《水泥工业大气污染物排放标准》（GB 4915-2013）中表 1（水泥制造）标准。

样品名称	采样日期：2016年05月13日			
	pH	CODCr	NH3-N	TP

5#厂界南 N24°43′05.70″ E116°11′31.73″	15:20~15:21	工业噪声	49.8	65	达标
	22:40~22:41	工业噪声	48.4	55	达标